



## Data sheet - ACP 15, G version

ACP 15, G version, single-phase,  
purge port R 1/4"

# Data sheet - ACP 15, G version

## ACP 15, G version, single-phase, purge port R 1/4"

### ACP 15, G version




[Similar Image](#)

### Characteristics



### Dimensions



## ACP 15, G version, single-phase, purge port R 1/4"

Technical Data	ACP 15, G version, single-phase, purge port R 1/4"
Ambient temperature	12 to 40 °C
Continuous inlet pressure, max.	1013 hPa
Cooling	Air
Corrosive gas version	Yes (light duty)
Dimensions (L x W x H)	514 x 190 x 270 mm
Flange (in)	DN 16 ISO-KF
Flange (out)	DN 25 ISO-KF
Helium leak rate, max.	$5 \cdot 10^{-8}$ Pa m <sup>3</sup> /s
Mains requirement: voltage	100-230 V $\pm$ 10 %, 50/60 Hz
N <sub>2</sub> purge flow, min.	5 Slm
Power consumption at ultimate pressure	450 W
Processes	Light Duty Applications
Pumping speed, max.	14 m <sup>3</sup> /h
Typical ultimate pressure	0.03 hPa
Typical ultimate pressure with N <sub>2</sub> purge	0.1 hPa
Version	Corrosive gas version
Weight	23 kg

<b>Order number</b>	<b>V5GATSRFEF</b>
---------------------	-------------------

Accessories	
External silencer ES 25 S, DN 25	<b>109873</b>
Inlet particle filter IPF 25, DN 25	<b>111649</b>
Noise reduction cover NRC 15, for ACP 15 pumps	<b>111968</b>
Sound enclosure kit SEK 15, for ACP 15 pumps	<b>112779</b>

**Vacuum solutions  
from a single source**

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

**Complete range  
of products**

From a single component to complex systems:  
We are the only supplier of vacuum technology  
that provides a complete product portfolio.

**Competence in  
theory and practice**

Benefit from our know-how and our portfolio of training  
opportunities! We support you with your plant layout  
and provide first-class on-site service worldwide.

**Are you looking for a  
perfect vacuum solution?  
Please contact us:**

**Pfeiffer Vacuum GmbH**  
Headquarters · Germany  
T +49 6441 802-0  
info@pfeiffer-vacuum.de  
[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)